1	L Number	Hits	Search Text	DB	Time stamp
2 0 password with enter with time and USPAT; IBM TDB USPAT; USPAGEWENT, IBM TDB USPAGE, USPAGEWENT, IBM TDB USPAGE, U		283	1 4		
2				EPO; JPO; DERWENT;	
3 29	2	0		USPAT; US-PGPUB; EPO; JPO;	
Password same reminder same encrypt\$5 and Password same encrypt\$5 Password Passw	3	29		IBM_TDB USPAT;	
-			@ad<19990617 and decrypt	EPO; JPO; DERWENT;	14:14
- 5642 passwords same encrypt\$5 USPAT; US-PGFUB; EPO; JPO; DERWENT; IBM_TDB USPAT; O9:41 09:45 09:47 09:45 09:47 09:45 09:47 09:45 09:47 09:45 09:47	-	1		USPAT; US-PGPUB; EPO; JPO; DERWENT;	· · · · · · · · · · · · · · · · · · ·
- 3999 passwords with encrypt\$5	-	5642	passwords same encrypt\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT;	
- 1562 (passwords with encrypt\$5) and (pad<19990617	-	3999	passwords with encrypt\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT;	
- 313 713/193.ccls. and @ad<19990617 USPGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; US-PGP	-	1562	(passwords with encrypt\$5) and @ad<19990617	USPAT; US-PGPUB; EPO; JPO;	
- 160 713/183.ccls. and @ad<19990617 USPAT;	-	313	713/193.ccls. and @ad<19990617	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	
- 464 713/202.ccls. and @ad<19990617 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; Qad<19990617 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; (713/183.ccls. and @ad<19990617) US-PGPUB; Q9:52 (713/202.ccls. and @ad<19990617) and EPO; JPO; password same reminder DERWENT; IBM_TDB USPAT; 2004/01/05	-	160	713/183.ccls. and @ad<19990617	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	
- 76 passwords with encrypt\$5 same pin and USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; (713/183.ccls. and @ad<19990617) US-PGPUB; EPO; JPO; DERWENT; (713/183.ccls. and @ad<19990617) USPAT; US-PGPUB; O9:52 (713/202.ccls. and @ad<19990617)) and EPO; JPO; password same reminder DERWENT; IBM_TDB USPAT; 2004/01/05 (43) @ad<19990617 and pin with passwords USPAT; 2004/01/05	-	464	713/202.ccls. and @ad<19990617	USPAT; US-PGPUB; EPO; JPO; DERWENT;	
- 2 ((713/193.ccls. and @ad<19990617) USPAT; 2004/01/05 (713/183.ccls. and @ad<19990617) US-PGPUB; 09:52 (713/202.ccls. and @ad<19990617)) and EPO; JPO; password same reminder DERWENT; IBM_TDB USPAT; 2004/01/05	-	76		USPAT; US-PGPUB; EPO; JPO; DERWENT;	
- 643 Gad<19990617 and pin with passwords USPAT; 2004/01/05	-	2	(713/183.ccls. and @ad<19990617) (713/202.ccls. and @ad<19990617)) and	USPAT; US-PGPUB; EPO; JPO; DERWENT;	
US-PGPUB; 09:54 EPO; JPO; DERWENT;	-	643	@ad<19990617 and pin with passwords	USPĀT; US-PGPUB; EPO; JPO;	2004/01/05 09:54
- 489 (@ad<19990617 and pin with passwords) and USPAT; us-pgpuB; EPO; JPO; DERWENT; IBM TDB	-	489		IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	1

Search History 1/6/04 3:03:10 PM

-	289	((@ad<19990617 and pin with passwords)	USPAT;	2004/01/05
		and memory) and encrypt\$5	US-PGPUB;	09:54
	•		EPO; JPO;	
			DERWENT;	·
	100	///And <10000617 and min with magazianda)	IBM_TDB	2004/01/05
-	180	(((@ad<19990617 and pin with passwords)	USPAT;	2004/01/05 09:54
		and memory) and encrypt\$5) and decrypt\$5	US-PGPUB;	09:54
	•		EPO; JPO;	
			DERWENT;	
	4.3	0-1410000617 1	IBM_TDB	2004/01/05
1 -	43	The second secon	USPAT;	09:57
		decrypt\$5	US-PGPUB;	09:57
			EPO; JPO; DERWENT;	
			IBM TDB	
_	11	Rade10000617 and password with list with	USPAT;	2004/01/05
-	11	@ad<19990617 and password with list with	US-PGPUB;	11:16
		pin	EPO; JPO;	11:10
			DERWENT;	
1_	3318	 @ad<19990617 and code with bank	IBM_TDB USPAT;	2004/01/05
-	3318	Gaux19990017 and Code with Dank	US-PGPUB;	11:16
1			EPO; JPO;	
			DERWENT;	
1			IBM TDB	
1_	911	@ad<19990617 and code with bank same	USPAT;	2004/01/05
	311	memory	US-PGPUB;	11:16
	1	memo+ 1	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	37	@ad<19990617 and code with bank same	USPAT;	2004/01/05
	"	memory and decrypt\$5	US-PGPUB;	11:18
		momori and descriptor	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	59	@ad<19990617 and passwords with memory	USPĀT;	2004/01/05
		and decrypt and pin	US-PGPUB;	11:18
			EPO; JPO;	
			DERWENT;	
1			IBM TDB	
-	85	@ad<19990617 and passwords with memory	USPĀT;	2004/01/05
		and decrypt\$5 and pin	US-PGPUB;	11:35
			EPO; JPO;	
	1		DERWENT;	
1			IBM_TDB	
-	17	@ad<19990617 and single with password	USPAT;	2004/01/05
1		with list	US-PGPUB;	11:41
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	0004/07/05
-	9	The second secon	USPAT;	2004/01/05
1		with list	US-PGPUB;	11:41
			EPO; JPO;	
1			DERWENT;	
	[0-d<10000617 and dominate with no and a	IBM_TDB	3004/01/05
-	517	@ad<19990617 and decrypt\$5 with passwords	USPAT;	2004/01/05
			US-PGPUB;	11:42
			EPO; JPO; DERWENT;	
1_	81	 @ad<19990617 and decrypt\$5 adj passwords	IBM_TDB USPAT;	2004/01/05
-	01	eau\1999001/ and decrypc93 adj passwords	US-PGPUB;	11:42
			EPO; JPO;	11.76
			DERWENT;	
			IBM TDB	
_	0	@ad<19990617 and decrypt\$5 adj (passwords	USPAT;	2004/01/05
		NOT password)	US-PGPUB;	11:42
		not pubbaota/	EPO; JPO;	
	1		DERWENT;	
1			IBM TDB	
L	1	<u> </u>		l

	6	@ad<19990617 and single adj password same password with list	USPAT; US-PGPUB; EPO; JPO;	2004/01/05
	1629	Rad 19990617 and narry and with file	DERWENT; IBM_TDB USPAT;	2004/01/05
-	1629	@ad<19990617 and password with file	US-PGPUB; EPO; JPO; DERWENT;	11:44
-	33	@ad<19990617 and password with file same	IBM_TDB USPAT; US-PGPUB;	2004/01/05
		, p. 1.	EPO; JPO; DERWENT; IBM TDB	13.00
-	245	<pre>@ad<19990617 and encrypt\$5 with password with (bank list group file)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/05 12:20
_	65	@ad<19990617 and encrypt\$5 with password with (bank list group)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/05 12:29
-	50	@ad<19990617 and 380/284.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/05 12:34
-	2924	@ad<19990617 and stor\$5 with pins same memory	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/05 12:35
-	118	@ad<19990617 and stor\$5 with pins same memory same encrypt\$5	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/05 12:52
-	0	@ad<19990617 and stor\$5 with pins same memory same encrypt\$5 with biometric	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/05 12:44
-	23	@ad<19990617 and (view\$5 retrieve\$3) with pin with encrypted	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/05 12:52
-	1		IBM_TDB USPAT	2004/01/05
-	1		USPAT	2004/01/05
-	5	(US-6253328-\$ or US-4453074-\$ or US-6006333-\$ or US-6460138-\$ or	USPAT	13:45 2004/01/05 13:48
-	1	US-5712912-\$).did. ((US-6253328-\$ or US-4453074-\$ or US-6006333-\$ or US-6460138-\$ or US-5712912-\$).did.) and american	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/05 13:48
-	153	4453074.URPN.	IBM_TDB USPAT	2004/01/05
-	141154	makoto.inv.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	14:03 2004/01/05 14:36
			IBM_TDB	

-	9902	makoto.inv. and matsushita	USPAT;	2004/01/05
			US-PGPUB;	14:37
			EPO; JPO;	·
			DERWENT;	
			IBM TDB	
-	223	makoto.inv. and matsushita and	USPAT;	2004/01/05
		tatebayashi	US-PGPUB;	14:37
		-	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	14	makoto.inv. and matsushita and	USPAT;	2004/01/05
		tatebayashi and password	US-PGPUB;	14:44
		-	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	2	tomes and veritel	USPAT;	2004/01/05
			US-PGPUB;	14:44
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	17898493	@ad<19990617	USPAT;	2004/01/06
	1		US-PGPUB;	11:18
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	·
_	106	password with expiration and @ad<19990617	USPAT;	2004/01/06
			US-PGPUB;	14:13
			EPO; JPO;	
1			DERWENT;	
			IBM TDB	